

**Recombinant Murine Interferon-lambda
3/Interleukin-28B
(rMuIFN-λ3/IL-28B)**
PrimeGene Technical Data Sheet

Catalog Number:	126-08B
Source:	<i>Escherichia coli</i> .
Molecular Weight:	Approximately 19.6 kDa, a single non-glycosylated polypeptide chain containing 174 amino acids.
Quantity:	5μg/20μg/1000μg
AA Sequence:	DPVPRATRLP VEAKDCHIAQ FKSLSPKELQ AFKKAKGAIE KRLLEKDMRC SSHLISRAWD LKQLQVQERP KALQAEVALT LKVWENINDS ALTTILGQPL HTLSHIHSQL QTCTQLQATA EPKPPSRRLS RWLHRLQEAQ SKETPGCLEL SVTSNLFQLL LRDLKCVASG DQCV
Purity:	> 98 % by SDS-PAGE and HPLC analyses.
Biological Activity:	Fully biologically active when compared to standard. The ED ₅₀ as determined by an anti-viral assay using human HepG2 cells infected with encephalomyocarditis is less than 30 ng/ml, corresponding to a specific activity of > 3.3 × 10 ⁴ IU/mg.
Physical Appearance:	Sterile Filtered White lyophilized (freeze-dried) powder.
Formulation:	Lyophilized from a 0.2 μm filtered concentrated solution in PBS, pH 7.4.
Endotoxin:	Less than 1 EU/μg of rMuIFN-λ3/IL-28B as determined by LAL method.
Reconstitution:	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1 % BSA to a concentration of 0.1-1.0 mg/mL. Stock solutions should be apportioned into working aliquots and stored at ≤ -20 °C. Further dilutions should be made in appropriate buffered solutions.
Shipping:	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage:	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. <ul style="list-style-type: none">● 12 months from date of receipt, -20 to -70 °C as supplied.● 1 month, 2 to 8 °C under sterile conditions after reconstitution.● 3 months, -20 to -70 °C under sterile conditions after reconstitution.
Usage:	This material is offered by Shanghai PrimeGene Bio-Tech for research, laboratory or further evaluation purposes. NOT FOR HUMAN USE.

Murine Interferon-lambda 3/Interleukin-28B

Interferon lambda 3 (IFN-λ3), also named as interleukin 28B (IL28B), is a protein encoded by the IL28B gene. IL28B, IL28A and IL29 are three closely related cytokine genes that form a cytokine gene cluster on a chromosomal region mapped to 19q13. Expression of the cytokines encoded by these three genes can be induced by viral infection. All three cytokines have been shown to interact with a heterodimeric class II cytokine receptor that consists of interleukin 10 receptor beta (IL-10Rβ) and interleukin 28 receptor alpha (IL-28Rα). IFN-λ3 is a cytokine with immune-modulatory activity. It up regulates MHC class I antigen expression and displays potent antiviral activity and antitumor activity, also plays an important role in Toll-like receptor (TLR)-induced antiviral defense and in the antiviral immune defense in the intestinal epithelium. In individuals with chronic hepatitis C, the presence of specific polymorphisms near this gene has been associated with an increased response in treatment for the condition with interferon and ribavirin. The same polymorphisms were also demonstrated at higher frequencies in individuals infected with hepatitis C who cleared the infection spontaneously, compared to those that developed chronic hepatitis from the condition. Murine IFN-λ3 shares 63 % amino acid sequence identity with human IFN-λ3.

Shanghai PrimeGene Bio-Tech Co., Ltd.

Website: www.primegene.com.cn
Tel: +86 21 52380373

Website: www.primegene.com
Fax: +86 21 61077348

Rev. 08/20/2018 V.3

Email: info.pg@bio-techne.com